

## TRANSPORTER® FOOD SUCTION White Corrugated Cover

Transporter Food Suction hose is designed to handle a wide variety of liquid products including oily edibles. The white nitrile tube will not impart taste or odor to the liquids being transferred. This hose meets FDA requirements. A reinforcement of a spiral steel wire between synthetic textile plies allows this hose to perform at **full vacuum**.



<b>Resistance:</b>
 
<b>Branding:</b>
Thermoid HBD Industries Transporter Food Suction White Nitrile Tube WP Made In USA


**Cover Color:** White  
**Oil Resistance:** Limited  
**Construction:**  
**Tube:** RMA Class A/B, FDA White, NBR  
**Cover:** NBR/PVC Corrugated  
**Reinforcement:** Spiral steel wire between synthetic textile plies  
**Temperature Range:** -30°F to +200°F  
 -34°C to +93°C  
**Packaging:** 100 ft. lengths; minimum run 1200 ft. per size

Product Number	Nominal I.D.		Nominal O.D.		Plies	Working Pressure		Min. Bend Radius		Weight	
	(inches)	(mm)	(inches)	(mm)		(psi)	(Mpa)	(inches)	(mm)	(lb/ft)	(Kg/m)
17751112502▲	1-1/4	31.75	1.81	46.04	2	150	1.03	4.00	101.60	0.80	1.19
17751115002▲	1-1/2	38.10	2.06	52.39	2	150	1.03	4.50	114.30	1.00	1.49
17751120002	2	50.80	2.56	65.09	2	150	1.03	6.00	152.40	1.20	1.79
17751125002▲	2-1/2	63.50	3.13	79.38	2	150	1.03	7.50	190.50	1.70	2.53
17751130002	3	76.20	3.63	92.08	2	150	1.03	9.00	228.60	2.10	3.13
17751140002▲	4	101.60	4.69	119.06	2	100	0.69	12.00	304.80	2.80	4.17

▲ = Make To Order (MTO)

## TRANSPORTER® FOOD SUCTION Gray Smooth Cover

Transporter Food Suction hose is designed to handle a wide variety of liquid products including oily edibles. The white nitrile tube will not impart taste or odor to the liquids being transferred. This hose meets FDA requirements. A reinforcement of a spiral steel wire between synthetic textile plies allows this hose to perform at **full vacuum**.



<b>Resistance:</b>
 
<b>Branding:</b>
Thermoid HBD Industries Transporter Food Suction White Nitrile Tube WP Made In USA

**Cover Color:** Gray  
**Oil Resistance:** Limited  
**Construction:**  
**Tube:** RMA Class A/B, FDA White, NBR  
**Cover:** Gray NBR/PVC Smooth  
**Reinforcement:** Spiral steel wire between synthetic textile plies  
**Temperature Range:** -30°F to +200°F  
 -34°C to +93°C  
**Packaging:** 100 ft. lengths

Product Number	Nominal I.D.		Nominal O.D.		Plies	Working Pressure		Min. Bend Radius		Weight	
	(inches)	(mm)	(inches)	(mm)		(psi)	(Mpa)	(inches)	(mm)	(lb/ft)	(Kg/m)
17750015002▲	1-1/2	38.10	2.06	52.39	2	150	1.03	4.50	114.30	1.00	1.49
17750020002	2	50.80	2.56	65.09	2	150	1.03	6.00	152.40	1.20	1.79
17750030002	3	76.20	3.63	92.08	2	150	1.03	9.00	228.60	2.20	3.27
17750040002▲	4	101.60	4.69	119.06	2	100	0.69	12.00	304.80	2.90	4.32

▲ = Make To Order (MTO)