



Thermoid[®] Select[™]

V-BELTS

Distributor Price Pages

Pricing Effective January 1, 2011

Freight prepaid on net shipments of \$2,500.00.

Continental U.S.A. only.

F.O.B. shipping point.

Payment Terms: Net 30 Days.

Classical



"A" SECTION 1/2" Top x 5/16" Thick

Belt Number	List Price	OC (in.)	Wt. Ea. (lbs.)
A018SEL	\$ 4.46	20.1	0.2
A019SEL	4.46	21.1	0.2
A020SEL	4.46	22.1	0.2
A021SEL	4.46	23.1	0.2
A022SEL	4.46	24.1	0.2
A023SEL	4.46	25.1	0.2
A024SEL	4.52	26.1	0.2
A025SEL	4.59	27.1	0.3
A026SEL	4.66	28.1	0.3
A027SEL	4.74	29.1	0.3
A028SEL	4.81	30.1	0.3
A029SEL	4.87	31.1	0.3
A030SEL	4.94	32.1	0.3
A031SEL	5.03	33.1	0.3
A032SEL	5.14	34.1	0.3
A033SEL	5.20	35.1	0.3
A034SEL	5.32	36.1	0.3
A035SEL	5.38	37.1	0.3
A036SEL	5.49	38.1	0.3
A037SEL	5.64	39.1	0.3
A038SEL	5.74	40.1	0.3
A039SEL	5.83	41.1	0.3
A040SEL	5.93	42.1	0.3
A041SEL	6.04	43.1	0.4
A042SEL	6.15	44.1	0.4
A043SEL	6.29	45.1	0.4
A044SEL	6.35	46.1	0.4
A045SEL	6.42	47.1	0.4
A046SEL	6.45	48.1	0.4
A047SEL	6.53	49.1	0.4
A048SEL	6.60	50.1	0.4
A049SEL	6.68	51.1	0.4
A050SEL	6.74	52.1	0.4
A051SEL	6.83	53.1	0.5
A052SEL	6.90	54.1	0.5
A053SEL	6.95	55.1	0.5
A054SEL	7.07	56.1	0.5
A055SEL	7.16	57.1	0.5
A056SEL	7.21	58.1	0.5
A057SEL	7.28	59.1	0.5
A058SEL	7.38	60.1	0.5
A059SEL	7.46	61.1	0.5
A060SEL	7.54	62.1	0.5
A061SEL	7.63	63.1	0.5
A062SEL	7.70	64.1	0.5
A063SEL	7.83	65.1	0.5
A064SEL	7.89	66.1	0.5

"A" SECTION - cont'd 1/2" Top x 5/16" Thick

Belt Number	List Price	OC (in.)	Wt. Ea. (lbs.)
A065SEL	\$ 7.96	67.1	0.5
A066SEL	8.09	68.1	0.5
A067SEL	8.18	69.1	0.5
A068SEL	8.25	70.1	0.5
A069SEL	8.44	71.1	0.5
A070SEL	8.60	72.1	0.5
A071SEL	8.70	73.1	0.5
A072SEL	8.73	74.1	0.5
A073SEL	8.79	75.1	0.5
A074SEL	8.86	76.1	0.5
A075SEL	8.98	77.1	0.5
A076SEL	9.26	78.1	0.5
A077SEL	9.33	79.1	0.5
A078SEL	9.39	80.1	0.5
A079SEL	9.57	81.1	0.5
A080SEL	9.68	82.1	0.6
A081SEL	9.81	83.1	0.6
A082SEL	9.98	84.0	0.6
A083SEL	10.10	85.1	0.6
A084SEL	10.26	86.1	0.6
A085SEL	10.40	87.1	0.6
A086SEL	10.54	88.1	0.6
A087SEL	10.68	89.1	0.6
A088SEL	10.85	90.1	0.6
A089SEL	10.98	91.1	0.6
A090SEL	11.13	92.1	0.6
A091SEL	11.26	93.1	0.6
A092SEL	11.37	94.1	0.6
A093SEL	11.50	95.1	0.6
A094SEL	11.62	96.1	0.6
A095SEL	11.73	97.1	0.7
A096SEL	11.84	98.1	0.7
A097SEL	12.00	99.1	0.7
A098SEL	12.10	100.1	0.7
A100SEL	12.35	102.1	0.7
A103SEL	12.73	105.1	0.7
A105SEL	13.92	107.1	0.8
A110SEL	13.92	112.1	0.8
A112SEL	14.35	114.1	0.8
A116SEL	14.88	118.1	0.8
A120SEL	15.43	112.1	0.8
A128SEL	12.63	130.1	0.9
A133SEL*	17.20	135.1	0.9
A136SEL	17.59	138.1	1.0
A144SEL	18.65	146.1	1.0
A158SEL*	20.45	160.1	1.1
A173SEL	22.44	175.1	1.2
A180SEL*	23.35	182.1	1.3

"B" SECTION 21/32" Top x 13/32" Thick

Belt Number	List Price	OC (in.)	Wt. Ea. (lbs.)
B023SEL*	\$ 5.61	26.1	0.3
B024SEL	5.74	27.1	0.3
B025SEL	5.83	28.1	0.3
B026SEL	6.00	29.1	0.4
B027SEL	6.21	30.1	0.4
B028SEL	6.25	31.1	0.4
B029SEL	6.39	32.1	0.4
B030SEL	6.53	33.1	0.4
B031SEL	6.68	34.1	0.4
B032SEL	6.77	35.1	0.4
B033SEL	6.93	36.1	0.4
B034SEL	7.02	37.1	0.5
B035SEL	7.19	38.1	0.5
B036SEL	7.38	39.1	0.5
B037SEL	7.67	40.1	0.5
B038SEL	7.89	41.1	0.5
B039SEL	8.09	42.1	0.5
B040SEL	8.25	43.1	0.5
B041SEL	8.44	44.1	0.5
B042SEL	8.60	45.1	0.6
B043SEL	8.79	46.1	0.6
B044SEL	8.98	47.1	0.6
B045SEL	9.15	48.1	0.6
B046SEL	9.33	49.1	0.6
B047SEL	9.46	50.1	0.6
B048SEL	9.63	51.1	0.6
B049SEL	9.75	52.1	0.6
B050SEL	9.92	53.1	0.7
B051SEL	10.05	54.1	0.7
B052SEL	10.15	55.1	0.7
B053SEL	10.23	56.1	0.7
B054SEL	10.34	57.1	0.7
B055SEL	10.40	58.1	0.7
B056SEL	10.49	59.1	0.8
B057SEL	10.54	60.1	0.8
B058SEL	10.61	61.1	0.8
B059SEL	10.68	62.1	0.8
B060SEL	10.78	63.1	0.8
B061SEL	10.91	64.1	0.8
B062SEL	11.04	65.1	0.8
B063SEL	11.20	66.1	0.8
B064SEL	11.33	67.1	0.8
B065SEL	11.47	68.1	0.8
B066SEL	11.62	69.1	0.8
B067SEL	11.73	70.1	0.8
B068SEL	11.84	71.1	0.8
B069SEL	12.00	72.1	0.8
B070SEL	12.15	73.1	0.9

*NON-STOCK ITEM - Contact Elgin Customer Service • Stock items subject to change without notice.

HBD/Thermoid, Inc.

Toll Free: 1-800/433-8208

E-mail: hdbelts@hbdelgin.com

Web-sites: www.hbdthermoid.com
www.hbdindustries.com

Classical



"B" SECTION - cont'd 21/32" Top x 13/32" Thick

Belt Number	List Price	OC (in.)	Wt. Ea. (lbs.)
B071SEL	\$ 12.31	74.1	0.9
B072SEL	12.45	75.1	0.9
B073SEL	12.58	76.1	0.9
B074SEL	12.78	77.1	0.9
B075SEL	12.92	78.1	0.9
B076SEL	13.08	79.1	0.9
B077SEL	13.28	80.1	1.0
B078SEL	13.43	81.1	1.0
B079SEL	13.64	82.1	1.0
B080SEL	13.83	83.1	1.0
B081SEL	13.99	84.1	1.0
B082SEL	14.35	85.1	1.0
B083SEL	14.47	86.1	1.0
B084SEL	14.60	87.1	1.0
B085SEL	14.70	88.1	1.0
B086SEL	14.86	89.1	1.0
B087SEL	15.00	90.1	1.0
B088SEL	15.13	91.1	1.0
B089SEL	15.29	92.1	1.1
B090SEL	15.43	93.1	1.1
B091SEL	15.65	94.1	1.1
B092SEL	15.89	95.1	1.1
B093SEL	16.14	96.1	1.1
B094SEL	16.32	97.1	1.1
B095SEL	16.50	98.1	1.1
B096SEL	16.67	99.1	1.1
B097SEL	16.87	100.1	1.1
B098SEL	16.97	101.1	1.1
B099SEL	17.10	102.1	1.2
B100SEL	17.24	103.1	1.2
B101SEL	17.33	104.1	1.2
B102SEL*	17.50	105.1	1.2
B103SEL	17.59	106.1	1.2
B105SEL	17.93	108.1	1.3
B106SEL	18.12	109.1	1.3
B108SEL	18.58	111.1	1.3
B110SEL	19.03	113.1	1.3
B112SEL	19.38	115.1	1.3
B114SEL*	19.72	117.1	1.3
B115SEL	19.91	118.1	1.3
B116SEL	19.91	119.1	1.3
B118SEL	20.16	121.1	1.4
B120SEL	20.45	123.1	1.4
B123SEL	20.95	126.1	1.4
B124SEL	21.17	127.1	1.4
B126SEL	21.52	129.1	1.4
B128SEL	21.87	131.1	1.4
B130SEL	22.32	133.1	1.5
B131SEL	22.49	134.1	1.5
B133SEL	22.97	136.1	1.5
B136SEL	23.39	139.1	1.5
B138SEL	23.68	141.1	1.5
B140SEL	24.03	143.1	1.6
B144SEL	24.76	147.1	1.6
B148SEL	25.38	151.1	1.7
B150SEL	25.70	153.1	1.7
B154SEL	26.26	157.1	1.8

"B" SECTION - cont'd 21/32" Top x 13/32" Thick

Belt Number	List Price	OC (in.)	Wt. Ea. (lbs.)
B158SEL	\$ 26.92	161.1	1.8
B162SEL	27.99	165.1	1.8
B173SEL	29.41	176.1	2.0
B180SEL	30.85	183.1	2.0
B185SEL*	31.57	188.1	2.1
B190SEL	32.56	193.1	2.1
B195SEL	33.37	198.1	2.1
B205SEL*	34.20	208.1	2.1
B210SEL	35.88	213.1	2.0
B225SEL	38.10	226.6	2.3
B240SEL	40.55	241.6	2.3
B255SEL*	43.23	256.6	2.5
B270SEL*	45.93	271.6	2.6
B285SEL*	48.44	286.6	2.7
B300SEL*	50.93	301.6	2.9
B315SEL*	53.97	316.6	3.2
B360SEL*	60.81	361.6	3.8

"C" SECTION 7/8" Top x 17/32" Thick

Belt Number	List Price	OC (in.)	Wt. Ea. (lbs.)
C051SEL	\$ 16.50	55.2	1.2
C055SEL	17.80	59.2	1.3
C060SEL	19.38	64.2	1.3
C062SEL	20.02	66.2	1.4
C064SEL*	20.99	68.2	1.4
C068SEL	21.87	72.2	1.5
C071SEL	22.80	75.2	1.5
C072SEL	23.09	76.2	1.6
C075SEL	24.03	79.2	1.6
C078SEL	25.11	82.2	1.7
C079SEL*	25.47	83.2	1.7
C081SEL	26.20	85.2	1.7
C082SEL*	26.51	86.2	1.7
C085SEL	26.92	89.2	1.8
C090SEL	29.06	94.2	1.9
C094SEL*	34.73	98.2	1.9
C096SEL	30.85	100.2	2.0
C097SEL	31.18	101.2	2.1
C099SEL	31.83	103.2	2.1
C100SEL	32.14	104.2	2.1
C101SEL*	32.43	105.2	2.1
C105SEL	33.73	109.2	2.3
C108SEL*	34.61	112.2	2.3
C109SEL	34.85	113.2	2.4
C112SEL	35.88	116.2	2.4
C115SEL	36.81	119.2	2.4
C118SEL*	37.58	122.2	2.5
C120SEL	37.38	124.2	2.5
C124SEL	39.62	128.2	2.5
C128SEL	40.90	132.2	2.5
C136SEL	43.20	140.2	2.7
C140SEL	44.35	144.2	2.8

"C" SECTION - cont'd 7/8" Top x 17/32" Thick

Belt Number	List Price	OC (in.)	Wt. Ea. (lbs.)
C144SEL	\$ 45.93	148.2	2.8
C150SEL*	47.58	154.2	2.9
C156SEL*	49.52	160.2	3.0
C158SEL	50.23	162.2	3.0
C162SEL	51.31	166.2	3.0
C173SEL	54.89	177.2	3.1
C177SEL*	56.83	181.2	3.1
C180SEL	57.40	184.2	3.2
C190SEL*	60.49	194.2	3.3
C195SEL	62.08	199.2	3.4
C210SEL	67.08	214.2	3.7
C225SEL	71.14	227.2	4.4
C227SEL*	71.78	229.2	4.4
C240SEL	75.34	242.2	4.8
C255SEL	80.62	257.2	5.0
C270SEL	85.03	272.2	5.4
C285SEL*	89.73	287.2	5.6
C300SEL*	94.37	302.2	5.6
C315SEL*	99.33	317.2	5.6
C330SEL	103.70	332.2	5.7
C345SEL*	108.34	347.2	6.6
C360SEL*	113.01	362.2	7.0
C390SEL*	122.70	392.2	7.4
C420SEL*	132.39	422.2	7.8

"D" SECTION 1-1/4" Top x 3/4" Thick

Belt Number	List Price	OC (in.)	Wt. Ea. (lbs.)
D090SEL*	\$ 53.51	95.2	4.1
D120SEL	71.04	125.2	4.5
D128SEL*	75.68	133.2	4.8
D144SEL	85.03	149.2	5.4
D158SEL	93.27	163.2	6.0
D162SEL*	96.16	167.2	6.1
D173SEL	105.84	178.2	6.5
D180SEL*	112.62	185.2	6.8
D195SEL	114.79	200.2	7.3
D210SEL	123.78	215.2	7.9
D240SEL	139.21	242.7	9.0
D255SEL*	147.81	257.7	9.5
D270SEL	156.77	272.7	10.0
D285SEL*	165.40	287.7	10.7
D330SEL*	191.57	332.7	12.4
D360SEL*	208.79	362.7	13.5
D390SEL*	226.73	392.7	14.6
D450SEL*	264.81	453.0	17.0
D480SEL*	280.55	482.7	18.1

*NON-STOCK ITEM - Contact Elgin Customer Service • Stock items subject to change without notice.

Classical Cogged



“AX” SECTION 1/2" Top x 5/16" Thick

Belt Number	List Price	OC (in.)	Wt. Ea. (lbs.)
AX024SEL*	\$ 6.57	26.1	0.2
AX026SEL	6.57	28.1	0.2
AX028SEL	6.57	30.1	0.2
AX030SEL*	6.57	32.1	0.2
AX031SEL	6.57	33.1	0.2
AX032SEL	6.59	34.1	0.2
AX033SEL	6.80	35.1	0.2
AX034SEL	6.96	36.1	0.2
AX035SEL	7.05	37.1	0.2
AX036SEL	7.18	38.1	0.2
AX037SEL	7.37	39.1	0.2
AX038SEL	7.50	40.1	0.2
AX039SEL	7.62	41.1	0.2
AX040SEL	7.81	42.1	0.2
AX041SEL	8.01	43.1	0.2
AX042SEL	8.06	44.1	0.3
AX043SEL	8.22	45.1	0.3
AX044SEL	8.26	46.1	0.3
AX046SEL	8.44	48.1	0.3
AX048SEL	8.65	50.1	0.3
AX050SEL	8.79	51.1	0.3
AX051SEL	8.92	53.1	0.3
AX053SEL	9.11	55.1	0.3
AX054SEL	9.23	56.1	0.3
AX055SEL	9.35	57.1	0.3
AX056SEL	9.44	58.1	0.3
AX058SEL	9.53	60.1	0.3
AX060SEL	9.85	62.1	0.3
AX062SEL	10.09	64.1	0.3
AX064SEL	10.34	66.1	0.3
AX066SEL	10.56	68.1	0.4
AX068SEL	10.79	70.1	0.4
AX070SEL	11.26	72.1	0.4
AX071SEL	11.35	73.1	0.4
AX075SEL	11.73	77.1	0.4
AX078SEL	12.30	80.1	0.4
AX080SEL	12.69	82.1	0.4
AX085SEL	13.61	87.1	0.4
AX090SEL	14.53	92.1	0.4
AX096SEL	15.48	98.1	0.5
AX105SEL	16.89	107.1	0.5
AX110SEL	18.21	112.1	0.7
AX112SEL*	18.77	114.1	0.8
AX120SEL	20.18	122.1	0.9
AX136SEL*	23.01	138.1	0.9

“BX” SECTION 21/32" Top x 13/32" Thick

Belt Number	List Price	OC (in.)	Wt. Ea. (lbs.)
BX032SEL	\$ 8.57	34.9	0.4
BX033SEL	8.84	35.9	0.4
BX034SEL	9.13	36.9	0.4
BX035SEL	9.39	37.9	0.4
BX036SEL	9.66	38.9	0.4
BX037SEL*	9.93	39.9	0.4
BX038SEL	10.34	40.9	0.4
BX039SEL	10.45	41.9	0.4
BX040SEL	10.74	42.9	0.4
BX041SEL	11.01	43.9	0.4
BX042SEL	11.26	44.9	0.4
BX043SEL	11.52	45.9	0.4
BX044SEL	11.88	46.9	0.5
BX045SEL	12.04	47.9	0.5
BX046SEL	12.18	48.9	0.5
BX047SEL	12.45	49.9	0.5
BX048SEL	12.56	50.9	0.5
BX049SEL	15.52	51.9	0.5
BX050SEL	12.94	52.9	0.5
BX051SEL	13.14	53.9	0.5
BX052SEL	13.27	54.9	0.5
BX053SEL	13.36	55.9	0.5
BX054SEL	13.52	56.9	0.5
BX055SEL	13.61	57.9	0.6
BX056SEL	13.70	58.9	0.6
BX057SEL	13.81	59.9	0.6
BX058SEL	13.90	60.9	0.6
BX059SEL	13.99	61.9	0.6
BX060SEL	14.08	62.9	0.6
BX061SEL	14.26	63.9	0.7
BX062SEL	14.46	64.9	0.7
BX063SEL	14.64	65.9	0.7
BX064SEL	14.83	66.9	0.7
BX065SEL	15.02	67.9	0.7
BX066SEL	15.21	68.9	0.7
BX067SEL	15.33	69.9	0.7
BX068SEL	15.48	70.9	0.7
BX069SEL	15.69	71.9	0.7
BX070SEL	15.90	72.9	0.7
BX071SEL	16.09	73.9	0.7
BX075SEL	16.89	77.9	0.7
BX076SEL	17.12	78.9	0.7
BX077SEL	17.36	79.9	0.8
BX078SEL	17.60	80.9	0.8
BX079SEL	17.84	81.9	0.8
BX080SEL	18.06	82.9	0.8
BX081SEL	18.30	83.9	0.8
BX082SEL	18.77	84.9	0.8
BX083SEL	18.92	85.9	0.8
BX085SEL	19.23	87.9	0.8
BX087SEL	19.49	89.9	0.8
BX088SEL	19.71	90.9	0.8
BX090SEL	20.18	92.9	0.9
BX091SEL	20.38	93.9	0.9
BX092SEL	20.61	94.9	0.9

“BX” SECTION—cont'd 21/32" Top x 13/32" Thick

Belt Number	List Price	OC (in.)	Wt. Ea. (lbs.)
BX093SEL	\$ 21.11	95.9	0.9
BX095SEL	21.58	97.9	0.9
BX096SEL	21.84	98.9	0.9
BX097SEL	22.05	99.9	0.9
BX099SEL	22.37	101.9	1.0
BX100SEL	22.52	102.9	1.0
BX103SEL	23.01	105.9	1.0
BX105SEL	23.47	107.9	1.0
BX108SEL	24.36	110.9	1.0
BX112SEL	25.34	114.9	1.1
BX116SEL	26.04	118.9	1.1
BX120SEL	26.75	122.9	1.3
BX124SEL	27.69	126.9	1.4
BX128SEL	28.63	130.9	1.4
BX133SEL*	30.04	135.9	1.5
BX136SEL	30.60	138.9	1.5
BX144SEL*	32.38	146.9	1.6
BX150SEL	33.59	152.9	1.6
BX158SEL	35.19	160.9	1.7
BX162SEL	36.60	164.9	1.8
BX173SEL	38.48	175.9	1.9
BX180SEL*	40.35	182.9	2.0
BX195SEL*	43.63	197.9	2.1

“CX” SECTION 7/8" Top x 17/32" Thick

Belt Number	List Price	OC (in.)	Wt. Ea. (lbs.)
CX060SEL*	\$ 25.34	64.2	1.1
CX068SEL*	28.63	72.2	1.2
CX075SEL*	31.45	79.2	1.3
CX081SEL*	34.26	85.2	1.4
CX085SEL*	35.19	89.2	1.5
CX090SEL*	38.00	94.2	1.6
CX096SEL	40.35	100.2	1.7
CX101SEL	42.43	105.2	1.9
CX103SEL*	43.28	107.2	1.9
CX105SEL	44.12	109.2	1.9
CX109SEL	45.70	113.2	1.9
CX112SEL	46.92	116.2	2.0
CX115SEL*	48.13	119.2	2.0
CX120SEL*	50.22	124.2	2.2
CX128SEL*	53.50	132.2	2.4
CX136SEL	56.50	140.2	2.5
CX150SEL*	62.22	154.2	2.8
CX158SEL*	65.69	162.2	2.9
CX162SEL*	67.11	166.2	3.2

*NON-STOCK ITEM – Contact Elgin Customer Service • Stock items subject to change without notice.

Classical Banded



"B" SECTION

Belt Number	Belt Price – Rib Per Band				OC (in.)	Wt. P/Rib
	2	3	4	5		
B048SEL	\$24.05	\$36.05	\$50.16	\$62.69	51.6	0.7
B051SEL	25.12	37.68	52.42	65.55	54.6	0.8
B053SEL	25.56	38.33	53.36	66.69	56.6	0.8
B056SEL	26.20	39.31	54.69	68.35	59.6	0.9
B057SEL	26.39	39.57	55.06	68.82	60.6	0.9
B060SEL	26.92	40.38	56.17	70.21	63.6	0.9
B063SEL	27.99	41.96	58.44	73.04	66.6	1.0
B064SEL	28.36	42.51	59.13	73.92	67.6	1.0
B065SEL	28.72	42.97	59.91	74.90	68.6	1.0
B066SEL	29.10	43.59	60.70	75.86	69.6	1.0
B067SEL	29.33	44.00	61.22	76.54	70.6	1.0
B068SEL	29.62	44.40	61.79	77.23	71.6	1.0
B070SEL	30.42	45.63	63.50	79.38	73.6	1.1
B072SEL	31.23	46.80	65.18	81.48	75.6	1.1
B078SEL	33.64	50.48	70.21	87.77	81.6	1.2
B080SEL	34.54	51.80	72.07	90.09	83.6	1.2
B081SEL	34.98	52.48	73.02	91.27	84.6	1.2
B082SEL	35.89	53.84	74.90	93.62	85.6	1.2
B083SEL	36.14	54.23	75.43	94.29	86.6	1.3
B085SEL	36.79	55.16	76.77	95.94	88.6	1.3
B090SEL	38.57	57.85	80.51	100.63	93.6	1.4
B096SEL	41.70	62.58	87.04	108.83	99.6	1.4
B097SEL	42.15	63.26	88.00	109.98	100.6	1.5
B100SEL	43.08	64.60	89.89	112.35	103.6	1.5
B105SEL	44.86	67.30	93.62	117.02	108.6	1.6
B112SEL	48.44	72.66	101.11	126.38	115.6	1.7
B116SEL	50.17	75.24	104.72	130.90	119.6	1.7
B120SEL	51.14	76.72	106.73	133.39	123.6	1.8
B124SEL	52.93	79.40	110.44	138.08	127.6	1.9
B128SEL	54.72	82.10	114.19	142.77	131.6	1.9
B133SEL	57.40	86.12	119.80	149.78	136.6	2.0
B136SEL	58.50	87.75	122.10	152.61	139.6	2.0
B144SEL	61.91	92.86	129.18	161.49	147.6	2.2
B158SEL	67.30	100.94	140.42	175.53	161.6	2.4
B162SEL	69.98	104.96	146.02	182.54	165.6	2.4
B180SEL	77.16	115.74	161.02	201.28	183.6	2.7
B195SEL	83.42	125.16	174.12	217.65	198.6	2.9

"C" SECTION


Belt Number	Belt Price – Rib Per Band				OC (in.)	Wt. P/Rib
	2	3	4	5		
C081SEL	\$65.49	\$98.24	\$136.67	\$170.86	85.7	2.0
C085SEL	67.30	100.94	140.42	175.53	89.7	2.2
C090SEL	72.65	109.01	151.66	189.55	94.7	2.4
C096SEL	77.16	115.74	161.02	201.28	100.7	2.6
C100SEL	80.35	120.54	167.73	209.66	104.7	2.7
C105SEL	84.33	126.48	175.99	220.00	109.7	2.8
C112SEL	89.71	134.56	187.22	234.04	116.7	3.0
C120SEL	95.99	143.98	200.33	250.40	124.7	3.1
C124SEL	99.13	148.63	206.75	258.74	128.7	3.3
C128SEL	102.28	153.42	213.43	266.79	132.7	3.4
C136SEL	108.02	162.01	225.46	281.80	140.7	3.6
C144SEL	114.83	172.33	239.64	299.56	148.7	3.7
C158SEL	125.59	188.40	262.11	327.65	162.7	3.9
C162SEL	128.27	192.44	267.72	334.66	166.7	4.0
C173SEL	137.26	205.88	286.45	358.07	177.7	4.2
C180SEL	143.55	215.30	299.56	374.44	184.7	4.3
C195SEL	155.20	232.81	323.91	404.90	199.7	4.7
C210SEL	167.75	251.64	350.09	437.63	214.7	5.0
C225SEL	177.90	266.83	371.26	464.06	257.7	5.3
C240SEL	188.40	282.58	393.17	491.46	242.7	5.6
C270SEL	212.60	318.92	443.72	554.65	272.7	6.2
C285SEL	224.36	336.55	468.21	585.26	287.7	6.5
C300SEL	235.94	353.92	492.40	615.49	302.7	6.7

"D" SECTION

Belt Number	Belt Price – Rib Per Band			OC (in.)	Wt. P/Rib
	3	4	5		
D210SEL	\$ 464.26	\$ 645.92	\$ 807.41	215.7	9.8
D300SEL	652.65	908.04	1,135.03	303.2	14.1
D360SEL	783.16	1,089.63	1,362.03	363.2	16.9
D480SEL	1,052.31	1,403.09	1,752.99	483.2	22.5

*NON-STOCK ITEM – Contact Elgin Customer Service for price and availability of larger widths. • Stock items subject to change without notice.
 NOTE: Banded belts with 2 ribs not accepted for return except at HBD/Thermoid's discretion.

Wedge



“3V” SECTION .38" Top x .32" Thick

Belt Number	List Price	OC (in.)	Wt. Ea. (lbs.)
3V0250SEL*	\$ 6.76	25.0	0.1
3V0265SEL	6.94	26.5	0.1
3V0280SEL*	7.11	28.0	0.1
3V0300SEL	7.30	30.0	0.1
3V0315SEL*	7.64	31.5	0.1
3V0335SEL	7.81	33.5	0.2
3V0355SEL	8.16	35.5	0.2
3V0375SEL	8.33	37.5	0.2
3V0400SEL	8.86	40.0	0.2
3V0425SEL	9.20	42.5	0.2
3V0450SEL	9.56	45.0	0.2
3V0475SEL	9.91	47.5	0.2
3V0500SEL	10.07	50.0	0.2
3V0530SEL	10.43	53.0	0.2
3V0560SEL	10.78	56.0	0.2
3V0600SEL	11.29	60.0	0.3
3V0630SEL	11.63	63.0	0.3
3V0670SEL*	12.16	67.0	0.3
3V0710SEL	12.84	71.0	0.3
3V0730SEL*	13.14	73.0	0.3
3V0750SEL	13.55	75.0	0.3
3V0800SEL	14.42	80.0	0.3
3V0850SEL*	15.45	85.0	0.4
3V0900SEL	16.67	90.0	0.4
3V0950SEL	17.54	95.0	0.4
3V1000SEL	18.57	100.0	0.4
3V1060SEL	19.61	106.0	0.4
3V1250SEL	24.32	125.0	0.6
3V1320SEL	25.71	132.0	0.6

“5V” SECTION 5/8" Top x 17/32" Thick

Belt Number	List Price	OC (in.)	Wt. Ea. (lbs.)
5V0530SEL*	\$ 22.32	53.0	0.7
5V0560SEL*	23.35	56.0	0.7
5V0600SEL*	25.27	60.0	0.7
5V0630SEL*	26.51	63.0	0.7
5V0670SEL*	28.25	67.0	0.6
5V0710SEL	30.00	71.0	0.8
5V0750SEL*	31.74	75.0	0.8
5V0800SEL	33.81	80.0	0.9
5V0850SEL*	36.44	85.0	1.0
5V0900SEL	37.82	90.0	1.1
5V0950SEL	40.63	95.0	1.1
5V1000SEL	42.88	100.0	1.1
5V1060SEL	45.51	106.0	1.2
5V1120SEL	48.11	112.0	1.3
5V1180SEL	50.72	118.0	1.4
5V1250SEL	53.87	125.0	1.5
5V1320SEL	56.83	132.0	1.6
5V1400SEL*	59.96	140.0	1.7
5V1500SEL	64.48	150.0	1.9
5V1600SEL	68.85	160.0	1.9
5V1700SEL	73.22	170.0	2.1
5V1800SEL	77.52	180.0	2.2
5V2120SEL	92.22	212.0	2.6
5V2240SEL*	97.62	224.0	2.7
5V2360SEL	102.49	236.0	2.9
5V2500SEL	108.60	250.0	3.0
5V2650SEL	115.41	265.0	3.2
5V2800SEL*	121.67	280.0	3.4
5V3000SEL	130.22	300.0	3.6
5V3150SEL*	136.68	315.0	3.8
5V3550SEL*	154.11	355.0	4.3

“8V” SECTION 1" Top x 7/8" Thick

Belt Number	List Price	OC (in.)	Wt. Ea. (lbs.)
8V1120SEL*	\$ 91.86	112.0	3.9
8V1180SEL	96.94	118.0	4.2
8V1250SEL	102.68	125.0	4.4
8V1320SEL	108.43	132.0	4.7
8V1400SEL	115.06	140.0	4.9
8V1500SEL	123.43	150.0	5.2
8V1600SEL	131.63	160.0	5.6
8V1700SEL	141.21	170.0	5.9
8V1800SEL	148.88	180.0	6.3
8V1900SEL	157.43	190.0	6.7
8V2000SEL	165.96	200.0	7.0
8V2120SEL	176.26	212.0	7.5
8V2240SEL	185.84	224.0	7.9
8V2360SEL	195.41	236.0	8.3
8V2500SEL	206.93	250.0	8.8
8V2650SEL	219.49	265.0	9.3
8V2800SEL	232.38	280.0	9.8
8V3000SEL	248.93	300.0	10.5
8V3150SEL	261.68	315.0	11.1
8V3350SEL	278.57	335.0	11.8
8V3550SEL	295.14	355.0	12.5
8V3750SEL*	312.04	375.0	13.3
8V4000SEL*	333.65	400.0	14.0

*NON-STOCK ITEM – Contact Elgin Customer Service • Stock items subject to change without notice.

Wedge Cogged



"3VX" SECTION 3/8" Top x 5/16" Thick

Belt Number	List Price	OC (in.)	Wt. Ea. (lbs.)
3VX0250SEL	\$ 6.76	25.0	0.1
3VX0265SEL	6.94	26.5	0.1
3VX0280SEL	7.11	28.0	0.1
3VX0300SEL	7.30	30.0	0.1
3VX0315SEL	7.64	31.5	0.1
3VX0335SEL	7.81	33.5	0.2
3VX0355SEL	8.16	35.5	0.2
3VX0375SEL	8.33	37.5	0.2
3VX0400SEL	8.86	40.0	0.2
3VX0425SEL	9.20	42.5	0.2
3VX0450SEL	9.56	45.0	0.2
3VX0475SEL	9.91	47.5	0.2
3VX0500SEL	10.07	50.0	0.2
3VX0530SEL	10.41	53.0	0.2
3VX0560SEL	10.78	56.0	0.2
3VX0600SEL	11.29	60.0	0.3
3VX0630SEL	11.63	63.0	0.3
3VX0650SEL*	12.03	65.0	0.3
3VX0670SEL	12.16	67.0	0.3
3VX0710SEL	12.84	71.0	0.3
3VX0750SEL	13.55	75.0	0.3
3VX0800SEL	14.42	80.0	0.3

"3VX" SECTION – cont'd 3/8" Top x 5/16" Thick

Belt Number	List Price	OC (in.)	Wt. Ea. (lbs.)
3VX0850SEL	\$15.45	85.0	0.4
3VX0900SEL	16.67	90.0	0.4
3VX0950SEL	17.54	95.0	0.4
3VX1000SEL	18.57	100.0	0.4
3VX1060SEL	19.61	106.0	0.4
3VX1120SEL	21.36	112.0	0.5
3VX1180SEL	22.76	118.0	0.5
3VX1250SEL	24.32	125.0	0.6
3VX1320SEL	25.71	132.0	0.6
3VX1400SEL*	27.26	140.0	0.7

"5VX" SECTION 5/8" Top x 17/32" Thick

Belt Number	List Price	OC (in.)	Wt. Ea. (lbs.)
5VX0500SEL	\$21.36	50.0	0.6
5VX0530SEL	22.23	53.0	0.7
5VX0560SEL	23.27	56.0	0.7
5VX0600SEL	25.19	60.0	0.7
5VX0630SEL	26.38	63.0	0.7

"5VX" SECTION – cont'd 5/8" Top x 17/32" Thick


Belt Number	List Price	OC (in.)	Wt. Ea. (lbs.)
5VX0670SEL	\$28.13	67.0	0.6
5VX0710SEL	29.87	71.0	0.8
5VX0750SEL	31.60	75.0	0.8
5VX0800SEL	33.68	80.0	0.9
5VX0850SEL	36.30	85.0	1.0
5VX0900SEL	37.68	90.0	1.1
5VX0950SEL	40.46	95.0	1.1
5VX1000SEL	42.72	100.0	1.2
5VX1060SEL	45.34	106.0	1.3
5VX1080SEL	46.23	108.0	1.3
5VX1120SEL	47.94	112.0	1.3
5VX1180SEL	50.55	118.0	1.4
5VX1250SEL	53.68	125.0	1.5
5VX1320SEL	56.60	132.0	1.6
5VX1400SEL	59.75	140.0	1.7
5VX1500SEL	64.26	150.0	1.8
5VX1600SEL	68.61	160.0	1.9
5VX1700SEL	72.93	170.0	2.0
5VX1800SEL	77.44	180.0	2.1
5VX1900SEL	81.96	190.0	2.2
5VX2000SEL	86.49	200.0	2.4

⚠ WARNING

- ◆ Failure to select the proper product, to use in accordance with instructions and/or product limitations, and to regularly inspect and maintain may result in serious personal injury or death, property damage or product failure.
 - ◆ Due to build up of static electricity, only power transmission belts constructed to meet test requirements of the RMA Technical Bulletin on static conductivity (IP3-3/1995) should be used in hazardous or explosive atmospheres, and all drive elements must be properly grounded. Any application involving such use should be reviewed with the HBD/Thermoid Technical Department before purchase or use.
 - ◆ Do not use HBD/Thermoid power transmission products on aircraft propeller or rotor drive systems or in-flight drives. HBD/Thermoid power transmission belts are not designed or intended for aircraft use.
- See the *HBD/Thermoid Installation and Maintenance of V-Belt and Timing Belt Drives Guide* for further information.

*NON-STOCK ITEM – Contact Elgin Customer Service • Stock items subject to change without notice.

Wedge Banded



“3V” SECTION

Belt Number	Belt Price – Rib Per Band				OC (in.)	Wt. P/Rib
	2	3	4	5		
3V670SEL	\$32.17	\$ 48.24	\$ 67.13	\$ 83.90	67.5	0.5
3V1400SEL	72.13	108.22	150.53	188.18	140.5	1.0

“5V” SECTION

Belt Number	Belt Price – Rib Per Band				OC (in.)	Wt. P/Rib
	2	3	4	5		
5V710SEL	\$ 79.04	\$118.57	\$164.93	\$206.17	71.5	1.6
5V750SEL	83.62	125.43	174.52	218.15	75.5	1.7
5V800SEL	89.13	133.72	186.02	232.54	80.5	1.7
5V900SEL	99.69	149.57	208.08	260.11	90.5	1.8
5V950SEL	107.06	160.60	223.43	279.28	95.5	1.9
5V1000SEL	113.04	169.55	235.91	294.86	100.5	1.9
5V1060SEL	121.68	179.90	250.29	312.82	106.5	1.9
5V1120SEL	126.80	190.23	264.66	330.83	112.5	2.0
5V1180SEL	133.72	200.56	279.05	348.79	118.5	2.0
5V1250SEL	141.97	212.98	296.30	370.37	125.5	2.1
5V1320SEL	149.81	224.68	312.61	390.76	132.5	2.1
5V1400SEL	158.06	237.07	329.85	412.32	140.5	2.2
5V1500SEL	170.00	255.01	354.79	443.50	150.5	2.3
5V1600SEL	181.48	272.24	378.76	473.45	160.5	2.4
5V1650SEL	187.23	280.86	390.72	488.40	165.5	2.5
5V1700SEL	192.97	289.47	402.72	503.41	170.5	2.5
5V1800SEL	204.93	307.38	427.66	534.60	180.5	2.6
5V1900SEL	216.88	325.31	452.59	565.76	190.5	2.8
5V2000SEL	228.84	343.22	477.54	596.91	200.5	2.9
5V2120SEL	243.07	364.58	507.26	634.07	212.5	3.1
5V2240SEL	257.29	385.97	536.97	671.23	224.5	3.2
5V2360SEL	270.01	405.25	563.84	704.79	236.5	3.4
5V2500SEL	286.26	429.38	597.40	746.74	250.5	3.6
5V2650SEL	304.18	456.26	634.77	793.49	265.5	3.8
5V2800SEL	320.71	481.06	669.29	836.62	280.5	4.0
5V3000SEL	343.22	514.85	716.29	895.37	300.5	4.3
5V3150SEL	360.23	540.34	751.79	939.74	315.5	4.5
5V3350SEL	383.20	574.79	799.72	999.65	335.5	4.8

“8V” SECTION

Belt Number	Belt Price – Rib Per Band			OC (in.)	Wt. P/Rib
	3	4	5		
8V1060SEL	\$ 343.22	\$ 477.54	\$ 596.91	106.5	4.2
8V1120SEL	363.21	505.33	631.69	112.5	4.4
8V1180SEL	383.20	533.15	666.45	118.5	4.6
8V1320SEL	428.68	596.44	745.53	132.5	5.0
8V1500SEL	487.98	678.89	848.63	150.5	5.5
8V1600SEL	520.36	723.95	904.96	160.5	5.9
8V1700SEL	558.25	776.71	970.88	170.5	6.3
8V1800SEL	588.57	818.90	1,023.62	180.5	6.6
8V1900SEL	622.38	865.89	1,082.34	190.5	6.9
8V2000SEL	656.12	912.86	1,141.11	200.5	7.2
8V2120SEL	696.78	969.45	1,211.81	212.5	7.5
8V2240SEL	752.67	1,022.17	1,277.72	224.5	8.0
8V2360SEL	772.60	1,074.94	1,343.66	236.5	8.3
8V2500SEL	818.09	1,138.21	1,422.77	250.5	8.8
8V2650SEL	867.73	1,207.25	1,509.07	265.5	9.2
8V2800SEL	918.73	1,278.19	1,597.78	280.5	9.7
8V3000SEL	984.21	1,369.30	1,711.62	300.5	10.3
8V3150SEL	1,034.49	1,439.33	1,799.14	315.5	10.8
8V3350SEL	1,101.36	1,532.33	1,915.38	335.5	11.4
8V3550SEL	1,166.85	1,623.42	2,029.28	355.5	12.0
8V3750SEL	1,233.67	1,716.43	2,145.53	375.5	12.7
8V4000SEL	1,319.15	1,835.34	2,294.17	400.5	13.4
8V4250SEL	1,404.60	1,954.23	2,442.81	425.5	14.2

*NON-STOCK ITEM – Contact Elgin Customer Service for price and availability of larger widths. • Stock items subject to change without notice.
NOTE: Banded belts with 2 ribs not accepted for return except at HBD/Thermoid's discretion.

HBD/Thermoid® Inc.

SUBSIDIARY OF HBD INDUSTRIES, INC.

2400 South U.S. Highway 1
Elgin, SC 29045-9523, USA

Toll-Free Phone/USA Only: 800/433-8208

Phone: 803/438-3431 • Fax: 803/438-6135

Web-sites: www.hbdthermoid.com • www.hbdindustries.com

E-mail: hdbelts@hbdelgin.com • info@hbdthermoid.com

HBD/Thermoid[®], Inc.

2400 South U.S. Highway 1
Elgin, SC 29045-9523

Terms & Conditions of Sale

Effective January 1, 2011

Toll Free: 1-800/433-8208 Phone: 1-803/438-3431 Fax: 1-803/438-6135

E-mail: hbdbelts@hbdelgin.com • Web-sites: www.hbdthermoid.com • www.hbdindustries.com

Product descriptions, specifications and pricing on products become dated and are subject to change. For questions concerning any current product pricing, technical and/or product application information contained in this publication, please contact HBD/Thermoid, Inc. Customer Service at 1-800/433-8208 and/or log onto www.hbdthermoid.com.

ENTIRE AGREEMENT

The parties agree that there are no understandings, agreements or representations, express or implied, not specified herein, respecting this offer or sale, and that this instrument contains the entire agreement between Seller and Buyer. No prior waiver, course of prior dealing or usage of the trade shall be relevant to supplement or to explain terms used in this agreement.

CONTROLLING TERMS

All sales are expressly limited to, and the rights and liabilities of the parties shall be governed exclusively by, the terms and conditions herein. In the event any purchase order or offer from Buyer states terms additional to or different from those set forth herein, this document shall be deemed a notice of objection to such additional or different terms and a rejection thereof. Any acknowledgment or shipment of product by Seller to Buyer subsequent to Seller's receipt of a purchase order or offer from Buyer shall not be deemed to be an acceptance by Seller of an offer to contract on the basis of any Buyer's terms and conditions. Receipt and acceptance by Buyer of products shall be conclusive evidence of Buyer's acceptance of the terms and conditions set forth herein as the sole controlling terms and conditions of the contract between Seller and Buyer. Stenographic and clerical errors by Seller are subject to correction.

ACCEPTANCE OF ORDERS

Seller possesses the exclusive right to accept or refuse any and all orders. No bid, offer, or quotation shall be valid or binding upon Seller, and no order shall be accepted and no sale shall be final, until such bid, offer, quotation, order or sale shall be acknowledged in writing by Seller. See price pages for minimum order amount.

PRICES

All prices are subject to change without notice and shall be adjusted to the Seller's prices in effect on the date of shipment. Prices reflect standard packaging for domestic shipment only. All prices are in U.S. Dollars. All tooling and equipment Seller produces or acquires for purposes of filling this order shall remain property of Seller. All intellectual property associated with the products shall remain the sole property of Seller. **MINIMUM ORDER \$25.00.**

DELIVERY

Delivery dates are estimates and not a guaranty of a particular day of delivery and are based on the prompt receipt of all necessary information from the Buyer. Seller shall not be liable for failure or delay in shipping goods hereunder if such failure or delay is due to an act of God, fire, flood, war, labor difficulties, accident, strikes, lockouts, civil disorders, governmental priorities or embargoes, inability or difficulty in obtaining raw materials or supplies at customary terms and prices or any other causes or failure of presumed conditions of any kind whatsoever which are either beyond the reasonable control of the Seller or which would make impracticable the fulfillment of Seller's obligations hereunder. Buyer shall not refuse to accept deliveries so delayed. Seller shall be compensated for any and all extra costs and expenses occasioned by delays attributable to Buyer.

TRANSPORTATION AND RISK OF LOSS

All shipments are freight collect unless eligible for a freight allowance expressly set forth in current price sheets or on the face hereof. Seller reserves the right to select the method and type of transportation. If a method of transportation other than that selected by Seller is requested by Buyer, excess packing, shipping and transportation charges resulting from compliance with Buyer's request shall be for the Buyer's account. All shipments are F.O.B. point of shipment and risk of loss shall pass to Buyer after products are delivered to carrier. Claims for damage or loss in transit must be filed by Buyer against the carrier.

CANCELLATION OR MODIFICATION

Buyer may not cancel or modify any order, either in whole or in part, without Seller's prior written consent and then only upon payment to Seller for all applicable costs incurred by Seller, including, without limitation, costs of materials, labor, equipment and supplies, and for lost profits on cancelled or modified orders. Order changes or additions received after original order has been processed will be treated as a new order.

TAXES

Any taxes which Seller may be required to pay or collect with respect to the sale, delivery or storage of the products, including taxes upon or measured by the receipts from the sales thereof, shall be for the account of Buyer who shall promptly pay the amount thereof to Seller upon demand, or in lieu thereof, furnish Seller with a tax exemption certificate acceptable to the taxing authorities.

WARRANTY AND DISCLAIMER

Seller warrants that its products shall be free from defects in material and workmanship under normal use and service for a period of 12 months from date of shipment. On equipment and materials furnished by Seller but manufactured by others, Buyer shall accept in lieu of any liability or guarantees on the part of Seller, the benefits of guarantees as are obtained by Seller from such manufacturers or vendors. SELLER MAKES NO WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, EXCEPT AS IS EXPRESSLY SET FORTH HEREIN. Failure by Buyer to object to or reject products or materials delivered hereunder, in writing within 30 days from the date of shipment of the products or materials, shall constitute an acceptance and waiver by Buyer of all claims hereunder on account of alleged errors, shortages, defective workmanship or material, breach of warranty or otherwise, discoverable upon inspection by Buyer.

LIMITATION OF LIABILITY

Buyer's exclusive remedy on any claim of any kind for any loss or damage arising out of, connected with, or resulting from this contract, or from the performance or breach thereof, or from the design, manufacture, sale, delivery, resale, or repair or use of any products covered by or furnished under the contract, including but not limited to any claim for breach of warranty, negligence, strict liability or other tort, shall be the repair or replacement, F.O.B. Seller's factory, as Seller may elect, of the product or part thereof giving rise to such claim, except that Seller's liability for such repair or replacement shall in no event exceed the contract price allocable to the product or part thereof which give rise to the claim. SELLER SHALL IN NO EVENT BE LIABLE FOR DIRECT, INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES.

RETURN OF MATERIAL

Seller's permission must be obtained in writing before any products are returned to it by Buyer. If products are returned without such permission, Buyer authorizes Seller, in addition to such other remedies as it may have, to hold the returned products at Buyer's sole risk and expense. All returns must be freight prepaid by Buyer. Seller will in no event accept the return of any product that upon return is in the opinion of Seller altered, damaged, used, or in other than first class salable condition.

INDEMNITY

Buyer agrees to indemnify, defend and hold harmless Seller from any claims, loss or damages arising out of or related to Seller's compliance with Buyer's designs, specifications or instructions in the furnishing of products to Buyer, whether based on infringement of patents, copyrights, trademarks or other rights of others, breach of warranty, negligence, strict liability or other tort.

PAYMENT

All invoices are due net 30 days from date of invoice unless otherwise specified by Seller. If at any time Seller deems itself insecure from any cause whatsoever, including but not limited to adverse changes in Buyer's financial condition or impairment of Buyer's credit, Seller may in its sole discretion stop delivery of goods, require advance payment for goods, and/or declare immediately due all indebtedness owed to Seller including amounts due hereunder. Payments not made when due shall bear interest at the prime rate plus 5% per annum or, if lower, the highest rate legally permissible, until paid. Credit balances will be applied against future purchases only and must be claimed within one year of creation or are waived.

GOVERNING LAW AND ARBITRATION

Any dealings or contract between the parties shall be governed by and construed in accordance with the law of the state of Ohio, excluding its choice of law provisions. Buyer and Seller agree that any action, suit or proceeding arising hereunder or related hereto may be brought in any state or federal court of competent jurisdiction sitting in the State of Ohio and each party submits to the jurisdiction of such courts. Either Buyer or Seller may elect to have any controversy arising under or in any way related to the subject matter hereof decided by arbitration by a single disinterested arbitrator in Columbus, Ohio, U.S.A., in accordance with the commercial rules of the American Arbitration Association then obtaining. The fee for the arbitrator shall be shared equally by the parties. Each party shall bear its own costs and expenses, including attorneys fees.

Revised 06/01/08

Reprinted 06/08

DISTRIBUTED BY: